

# BSA SUBMISSION THE TELECOM ENGINEERING CENTRE'S DRAFT STANDARD ON FAIRNESS ASSESSMENT AND RATING OF AI SYSTEMS

#### Shri. Avinash Agarwal

DDG (Convergence & Broadcasting)
Telecommunication Engineering Centre (TEC)
Department of Telecom, New Delhi

Email: dircb.tec-dot@gov.in

January 27, 2023

Dear Sir,

BSA | The Software Alliance (**BSA**) appreciates the opportunity to provide comments to the Telecommunication Engineering Centre's (**TEC**) consultation on the draft standard on Fairness Assessment and Rating of Artificial Intelligence Systems (**Draft Standard**). BSA is the leading advocate for the global software industry before governments and in the international marketplace. Our members are among the world's most innovative companies, creating software solutions that help businesses of all sizes in every part of the economy to modernize and grow. With headquarters in Washington, DC and operations in more than 30 countries, BSA advocates for public policies that foster technology innovation and drive growth in the global digital economy.

BSA members are on the leading edge of providing Al-enabled products and services and, as a result, have unique insights into the technology's tremendous potential to spur digital transformation and the policies that can best support the responsible use of Al. While the adoption of Al can unquestionably be a force for good, we also recognize the risks to society if this technology is not developed and deployed responsibly. BSA agrees that when Al is used in ways that could unlawfully discriminate against individuals, the public should be assured that such systems have been thoroughly vetted to identify and mitigate risks associated with unintended bias.

<sup>&</sup>lt;sup>1</sup> Telecommunication Engineering Cenre, *Draft Standard for Fairness Assessment and Rating of Artificial Intelligence Systems*, available at

 $<sup>\</sup>frac{\text{https://www.tec.gov.in/pdf/SDs/TEC%20Draft%20Standard\%20for\%20fairness\%20assessment\%20and\%20rating\%20of\%20Al}{\text{\%20systems\%20final\%202022}} \ \ 12 \ \ 27.pdf$ 

<sup>&</sup>lt;sup>2</sup> BSA's members include: Adobe, Alteryx, Altium, Amazon Web Services, Atlassian, Autodesk, Bentley Systems, Box, Cisco, CNC/Mastercam, CrowdStrike, Dassault, Databricks, DocuSign, Dropbox, Graphisoft, IBM, Informatica, Juniper Networks, Kyndryl, MathWorks, Microsoft, Nikon, Okta, Oracle, Prokon, PTC, Rockwell, Salesforce, SAP, ServiceNow, Shopify Inc., Siemens Industry Software Inc., Splunk, Trend Micro, Trimble Solutions Corporation, TriNet, Twilio, Unity Technologies, Inc., Workday, Zendesk, and Zoom Video Communications, Inc.

For these reasons, we appreciate the TEC's intention to "achieve fairness in AI" through the application of these voluntary standards. We similarly align with its objective of enabling a flexible procedure for bias assessment, increasing transparency, and enhancing trust in AI systems. As we noted in our earlier submission on the consultation on developing a Framework for Fairness Assessment of AI/ML systems,<sup>3</sup> bias has emerged as an important concern for policymakers, developers, deployers, and the public as AI tools are used more frequently to make consequential decisions. In this context, we encourage the development of frameworks that organizations can use to identify and mitigate risks of bias that may emerge throughout an AI system's lifecycle.

We provide below several recommendations for achieving this objective and reiterate certain points made in our initial submission, which is attached for your reference. We have also appended *Confronting Bias: A Framework to Build Trust in AI* (**BSA Framework**), a first-of-its-kind risk identification and mitigation impact assessment framework for AI systems.<sup>4</sup> Our comments recommend that the Draft Standard should:

- apply only to high-risk AI systems;
- avoid prescriptive conformity assessment requirements;
- endorse self-assessments instead of third-party audits;
- recognize the different roles and responsibilities of AI developers and deployers;
- · align with emerging internationally recognized standards; and
- incorporate a lifecycle approach.

#### The Draft Standard Should Apply Only to High-Risk Al Systems

The AI ecosystem is broad, encompassing a diverse range of technologies and use cases and a wide array of stakeholders. Because the risks of AI are inherently use-case specific, the standards should focus on specific applications of the technology that pose high risk to the public.<sup>5</sup> It should be flexible enough to account for the unique considerations that may be implicated by specific uses cases. Lowrisk AI solutions (e.g., speech-to-text tools) should not be subject to the same standards as high-risk AI solutions (e.g., AI solutions used for procedures in surgical operating theatres). While the Draft Standard highlights the need to identify the types of AI/machine learning (ML) systems to which the assessment requirements would be applicable in the section on scope,<sup>6</sup> this important point is not elaborated again in the document. Accordingly, we recommend clarifying that the Draft Standard is intended to apply only to high-risk uses of AI.

#### **Avoid Prescriptive Conformity Assessment Requirements**

As highlighted above, the risks that AI poses and the appropriate mechanisms for mitigating those risks are largely context specific. The appropriate mechanisms and standards for the collection and use of training data, record keeping, transparency, accuracy, and human oversight will also vary depending on the nature of the AI system and the setting in which it is deployed. Certain sections of the Draft Standard — particularly those describing the proposed assessment framework, fairness

Le-Meridien 15th Floor, Room 1529 Windsor Place, Janpath New Delhi 110001

<sup>&</sup>lt;sup>3</sup> BSA | The Software Alliance, *Submission on the Telecommunication Engineering Centre's Framework for Fairness Assessment of Al/ML Systems*, available at <a href="https://www.bsa.org/policy-filings/india-bsa-submission-on-the-telecommunication-engineering-centres-framework-for-fairness-assessment-of-aiml-systems">https://www.bsa.org/policy-filings/india-bsa-submission-on-the-telecommunication-engineering-centres-framework-for-fairness-assessment-of-aiml-systems</a>

<sup>&</sup>lt;sup>4</sup> BSA | The Software Alliance, *Confronting Bias: A Framework to Build Trust in AI*, available at <a href="https://ai.bsa.org/wp-content/uploads/2021/06/2021bsaaibias.pdf">https://ai.bsa.org/wp-content/uploads/2021/06/2021bsaaibias.pdf</a>.

<sup>&</sup>lt;sup>5</sup> It would also be helpful for the Draft Standard to emphasize that "high-risk" AI is AI that may have a "substantially negative impact on the safety and security of individuals…"; "significantly impact individual's eligibility for certain benefits…"; and "…aims to materially address existing societal biases" — see TEC Draft Standard Section 6.2 (page 34).

<sup>&</sup>lt;sup>6</sup> TEC Draft Standard, Section 3.1

metrics, and fairness evaluation outcome report — appear overly prescriptive. The Draft Standard appropriately acknowledges that there are numerous fairness metrics and deciding which fairness metrics are appropriate for a particular use case should be guided by context-specific considerations. However, the Draft Standard nonetheless adopts a prescriptive approach with respect to bias and fairness scoring and testing. This could impede efforts to address the very risks TEC intends to prevent, add unnecessary costs, and require extremely complex compliance checks. TEC should focus instead on the factors stakeholders should consider in evaluating which metrics are relevant or appropriate for their use case.

Furthermore, the Draft Standard contemplates that regulators in certain sectors may require organizations to obtain certifications from third-party auditors to demonstrate that their AI systems adhere to the fairness standards. This will undermine TEC's intention to create a voluntary and flexible framework. In consideration of the rapidly evolving nature of AI technologies and ongoing research on how best to address the potential for bias in AI systems, TEC and other regulators should avoid prescribing inflexible standards and instead focus on process-based and outcome-oriented policy solutions that facilitate risk-based assessments. We address below additional concerns regarding the proposal to require third-party audits.

Similarly, the Draft Standard should not establish any pre-marketing conformity assessment for Al systems, as such obligations could act as unjustified market-entry barriers. Rather, a governance-based and self-attestation approach which identifies broad objectives and processes that developers and deployers should follow to achieve fairness in Al/ML systems will be more effective.

#### **Endorse Self-Assessments Instead of Third-Party Audits**

The Draft Standard should focus on self-assessments in lieu of endorsing audits conducted by third parties, especially considering the lack of consensus globally on what should be the appropriate AI bias auditing standards. Notably, Stanford University in the United States, recognizing the lack of auditing tools to detect bias and discrimination, recently launched an AI audit challenge to help with this effort. A Stanford professor, who is also the President and CEO of Sagewood Global Strategies, a technology policy and risk advisory firm, and the former Senior Director for Cyber Policy on the US White House National Security Council, recently examined this issue and acknowledged the lack of auditable criteria, concluding that "[t]he AI audit ecosystem is immature, at best."

TEC's laudable efforts do not replace the need for more flexible, consensus-based standards developed in a multistakeholder process. Nor do they address the lack of available bias detection tools. Without the necessary guidance and sufficient tools, the quality of audits will vary significantly and are likely to correlate with price, undermining efforts to establish common objective benchmarks.

Furthermore, there are no professional organizations to govern or train third-party auditors for AI systems. Auditors typically have professional bodies that create baseline criteria and maintain ethical guidelines. In addition, educational bodies are in place in other fields to train professionals. No such bodies exist for AI auditors.

Moreover, sharing sensitive data with third parties raises privacy concerns. Without adequate oversight over how sensitive personal data is handled by these third-party firms, such firms may conceivably misuse sensitive personal information.

Le-Meridien 15th Floor, Room 1529 Windsor Place, Janpath New Delhi 110001

<sup>&</sup>lt;sup>7</sup> Andrew Grotto, Sagewood Global Strategies LLC, *Audit of AI Systems: Overview, Current Status, and Future Prospects*, 5 (Nov. 2022), available at <a href="https://www.regulations.gov/comment/FTC-2022-0053-0906">https://www.regulations.gov/comment/FTC-2022-0053-0906</a>.

In short, the AI auditing landscape is nascent, and sharing sensitive information with third parties raises additional concerns. For these reasons, requiring third-party audits is not a feasible or optimal approach. Instead, BSA recommends TEC to continue participating in international efforts in this area and refrain from recommending or endorsing third-party audits as a current practical solution for addressing concerns regarding AI bias.

# Recognize the Different Roles and Responsibilities of Al Developers and Deployers

The roles and responsibilities of different actors in the AI lifecycle have not been clearly delineated in the Draft Standard. Reflecting the inherently dynamic nature of AI systems, TEC should account for the array of stakeholders that may play a role in various aspects of an AI/ML system's development and deployment. There are two key sets of actors that may bear varying degrees of responsibility for certain aspects of AI/ML risk management:

- Developers: AI/ML developers are organizations that design, code, or produce AI systems.
- <u>Deployers:</u> Al/ML deployers are the organizations that adopt and use Al systems. (If an entity develops its own system, it is both the Al developer and the Al deployer.)

Allocating risk management of AI systems among these different actors will depend on the nature of the AI system being developed. Distinguishing between developers and deployers ensures that specified obligations reflect a company's role in the AI ecosystem. Tailoring obligations to a company's role as a developer or a deployer enables the company to fulfill the corresponding obligations and better protect consumers. For example, a developer is able to identify the source and describe the features of data used to train an AI system, but a developer generally would not have insight into how the AI system is used after another company has purchased and deployed the AI system. Instead, the deployer using the system, is generally best positioned to understand how the AI system is being used, the outputs from the AI system, the nature of any customer complaints, and other real-world factors affecting the system's performance. Ensuring AI policies create obligations that reflect these different roles is crucial for AI-related safeguards to function in practice.

#### Align with Emerging Internationally Recognized Standards

As TEC develops the Draft Standard, it is important to ensure that it is aligned with the emerging body of internationally recognized standards. This will improve international interoperability and promote the ability of organizations in India, both AI/ML developers and deployers, to benefit from the most advanced resource, concepts, and options available. The risk of establishing domestic standards that are not well aligned, or are too far ahead of international standards development, is that requirements will be out of step with emerging practices, deterring development of AI in India and impeding efforts to ensure that the technology is developed and deployed responsibly.

For example, the definition of "machine learning" in Section 2.1 is overly brief and may be improved by reference to existing standards.<sup>8</sup>

#### **Incorporate a Lifecycle Approach**

While the term "Al lifecycle" is mentioned at multiple places in the Draft Standard, it is not explained, nor are the different stages of the lifecycle identified. Static evaluations of Al models cannot account

<sup>&</sup>lt;sup>8</sup> For example, see ISO/IEC 2382:2015 and ISO/IEC 23053:2022.

for all potential issues that may arise when Al systems are deployed in the field. Bias can arise in a system at multiple points of its lifecycle and through many different channels, such as in the data used to train a model, in the formulation of the problem the system seeks to solve, or if a model is used in a scenario other than its intended purpose. Experts agree that Al risk management therefore requires a lifecycle approach that includes ongoing monitoring by end-users to ensure that the system is operating as intended. To address this issue, TEC should refer to the BSA Framework which identifies steps that can be taken in the design, development, and deployment stages of the Al/ML lifecycle to mitigate the risk of bias.<sup>9</sup>

We thank you for the opportunity to provide our feedback. Please do not hesitate to contact us if you have any questions about our submission.

Sincerely,

BSA | The Software Alliance

[Attachment 1: Confronting Bias: BSA's Framework to Build Trust in Al]

[Attachment 2: BSA Submission on the Telecommunication Engineering Centre's Framework for Fairness Assessment of Al/ML Systems, March 2022]

<sup>&</sup>lt;sup>9</sup> See BSA | The Software Alliance, Confronting Bias: A Framework to Build Trust in AI (attached), supra note 4.



# Confronting Bias: BSA's Framework to Build Trust in Al

## **CONTENTS**

Introduction
What Is AI Bias?
Sources and Types of Al Bias
The Need for AI Risk Management
What Is Risk Management?
Managing the Risk of Bias
Foundations for Effective Risk Management
Governance Framework11
Impact Assessment
Al Bias Risk Management Framework
Al Lifecycle Phases
Framework Structure
Stakeholder Roles and Responsibilities
Spectrum of AI Development and Deployment Models
BSA Al Bias Risk Management Framework
Foundational Resources
Endnotes

# 

Tremendous advances in artificial intelligence (AI) research and development are quickly transforming expectations about how the technology may shape the world. The promise that AI may one day impact every industry is quickly turning into a commercial reality. From financial services to healthcare, AI is increasingly leveraged to improve customer experiences, enhance competitiveness, and solve previously intractable problems. For instance, AI is enabling medical researchers to diagnose early-stage Alzheimer's Disease years before debilitating symptoms arise,<sup>1</sup> and it is helping ecologists analyze impossibly large datasets to better track the impact of their efforts to preserve critical habitat and prevent illegal elephant poaching in Malawi.<sup>2</sup>

As used in this report, the term "artificial intelligence" refers to systems that use machine learning algorithms that can analyze large volumes of training data to identify correlations, patterns, and other metadata that can be used to develop a model that can make predictions or recommendations based on future data inputs. For example, developers used machine learning to create "Seeing AI," an app that helps people who are blind or visually impaired navigate the world by providing auditory descriptions of objects in photographs.3 Users of the app can use their smartphone to take pictures, and Seeing AI describes what appears in the photograph. To develop the computer vision model capable of identifying the objects in a picture, the system was trained using data from millions of publicly available images depicting common objects, such as trees, street signs, landscapes, and animals. When a user inputs a new image, Seeing AI in effect predicts what objects are in the photo by comparing it to the patterns and correlations that it derived from the training data.

The proliferation of AI across industries is also prompting questions about the design and use of the technology and what steps can be taken to ensure it is operating in a manner that accounts for any potential risks it may pose to the public.

The use of advanced technologies in connection with high-stakes decisions presents both opportunities and risks. On the one hand, the adoption of AI by financial institutions has the potential to reduce discrimination and promote fairness by facilitating a data-driven approach to decision-making that is less vulnerable to human biases.<sup>4</sup> For instance, the use of AI can improve access to credit and housing to historically marginalized communities by enabling lenders to evaluate a greater array of data than is ordinarily accounted for in traditional credit reports. At the same time, researchers caution that flaws in the design, development, and/or deployment of AI systems have the potential to perpetuate (or even exacerbate) existing societal biases.5

Developing mechanisms for identifying and mitigating the risks of AI bias has therefore emerged as an area of intense focus for experts in industry, academia, and government. In just the past few years, a vast body of research has identified a range of organizational best practices, governance safeguards, and technical tools that can help manage the risks of bias throughout the AI lifecycle. Static evaluations of AI models cannot account for all potential issues that may arise when AI systems are deployed in the field, so experts agree that mitigating risks of AI bias requires a lifecycle approach that includes ongoing monitoring by end-users to ensure that the system is operating as intended.

This document sets forth an Al Bias Risk Management Framework that organizations can use to perform impact assessments to identify and mitigate potential risks of bias that may emerge throughout an Al system's lifecycle. Similar to impact assessments for data privacy, Al impact assessments can serve as an important assurance mechanism that

promotes accountability and enhances trust that high-risk AI systems have been designed, developed, tested, and deployed with sufficient protections in place to mitigate the risk of harm. AI impact assessments are also an important transparency mechanism that enables the many potential stakeholders involved in the design, development, and deployment of an AI system to communicate about its risks and ensure that responsibilities for mitigating those risks are clearly understood.

In addition to setting forth a process for performing an AI impact assessment, the Bias Risk Management Framework:

- Sets out the key corporate governance structures, processes, and safeguards that are needed to implement and support an effective AI risk management program; and
- Identifies existing best practices, technical tools, and resources that stakeholders can use to mitigate specific AI bias risks that can emerge throughout an AI system's lifecycle.

This Framework is intended to be a flexible tool that organizations can use to enhance trust in their AI systems through risk management processes that promote fairness, transparency, and accountability.

# What Is Al Bias?

References to "Al bias" in this document refer to Al systems that systematically and unjustifiably yield less favorable, unfair, or harmful outcomes to members of specific demographic groups.

At its core, the goal of machine learning is to create a model that derives generalized rules from historical examples in order to make predictions about future data inputs. For instance, an image recognition system designed to identify plants would likely be trained on large volumes of photographs depicting each of the many species of vegetation. The system would look for general rules, like leaf patterns, that are common across the photographs of each species, thereby creating a model that can evaluate whether new data inputs (i.e., user-submitted photos) include any of the species it has been trained to identify. In other words, machine learning works by

drawing generalizations from past data to make predictions about future data inputs. However, when AI is used to model human behavior, concerns about unintended bias take on an entirely different dimension. As AI is integrated into business processes that can have consequential impacts on people's lives, there is a risk that "biased" systems will systematically disadvantage members of historically marginalized communities. AI bias can manifest in systems that perform less accurately or treat people less favorably based on a sensitive characteristic, including but not limited to race, gender identity, sexual orientation, age, religion, or disability.



#### Sources and Types of Al Bias



#### DESIGN

Al bias can be introduced at multiple stages in the Al lifecycle.<sup>6</sup> Decisions made at the earliest stages of the conception and design of an Al system can introduce bias:

• **Problem Formulation Bias.** In some instances, the basic assumptions underlying a proposed AI system may be so inherently biased that they render it inappropriate for any form of public deployment.

#### **EXAMPLES**

In 2016, researchers at Shanghai Jiao Tong University published a highly controversial paper<sup>7</sup> detailing their effort to train an AI system to predict "criminality" through a facial imaging system. By training the system on a large volume of police mugshots, the researchers alleged that their system could predict "criminality" with close to 90 percent accuracy merely by analyzing a person's facial structure. Unsurprisingly, the paper quickly became the subject of scathing criticism, and commentators rightfully noted that the model relied on the profoundly disturbing (and causally unsupportable) assumption that criminality can be inferred from a person's appearance.<sup>8</sup>

•••••

Problem formulation bias can also arise when an AI system's target variable is an imprecise or overly simplistic proxy for what the system is actually trying to predict. For example, in 2019 researchers discovered that an AI system widely used by hospitals to triage patients by predicting the likelihood that they required urgent care systematically prioritized the needs of healthier white patients to the detriment of less-healthy minority patients. In this instance, bias arose because the system sought to predict "healthcare needs" using historical data about "healthcare costs" as an easy-to-obtain stand-in for the actual data about the healthcare needs of patients. Unfortunately, because minority patients have historically had less access to healthcare, using "healthcare costs" as a proxy for the current needs of those patients paints an inaccurate picture that can result in dangerously biased outcomes.

 Historical Bias. There is a risk of perpetuating historical biases reflected in data used to train an Al system.

#### **EXAMPLE**

A medical school in the United Kingdom set out to create a system that would help identify good candidates for admission. The system was trained using data about previously admitted students. It was discovered, however, that the school's historical admissions decisions had systematically disfavored racial minorities and females whose credentials were otherwise equal to other applicants. By training the model using data reflecting historical biases, the medical school inadvertently created a system that replicated those same biased admission patterns.<sup>10</sup>

• Sampling Bias. If the data used to train a system is misrepresentative of the population in which it will be used, there is a risk that the system will perform less effectively on communities that may have been underrepresented in the training data. This commonly occurs when sufficient quantities of representative data are not readily available, or when data is selected or collected in ways that systematically over- or under-represent certain populations.

#### **EXAMPLES**

As the pathbreaking research by Joy Buolamwini and Timnit Gebru demonstrated, facial recognition systems trained on datasets composed disproportionately of white and male faces perform substantially less accurately when evaluating the faces of women with darker complexions.<sup>11</sup>

• • • • • • • •

Sampling bias can also arise as a result of data collection practices. The City of Boston's attempt to create a system capable of automatically detecting and reporting potholes in need of repair is an illustrative case in point. Because early versions of the program relied heavily on data supplied by users of a smartphone app called "StreetBump," it received a disproportionate number of reports from affluent neighborhoods with residents who could afford smartphones and data plans. As a result of the sampling bias, potholes in poorer neighborhoods were underrepresented in the dataset, creating a risk that the system would allocate repair resources in a manner that would treat members of those communities unfairly.<sup>12</sup>

Labeling Bias. Many AI systems require training data to be "labeled" so that the learning
algorithm can identify patterns and correlations that can be used to classify future data inputs.
The process of labeling the training dataset can involve subjective decisions that can be a vector
for introducing human biases into the AI system.

#### **EXAMPLE**

ImageNet is a database of more than 14 million images that have been categorized and labeled to enable AI researchers to train vision recognition systems. Although ImageNet has been a critical tool for advancing the state of the art in AI object recognition, recent scholarship has shone a light on how the database's categorization and labeling system can create significant risks of bias when it is used to train systems involving images of people. In *Excavating AI*,<sup>13</sup> Kate Crawford and Trevor Paglen demonstrated that the categories and data labels associated with the images of people in ImageNet reflect a range of "gendered, racialized, ableist, and ageist" biases that could be propagated in any AI system that uses them as training data. For instance, an AI system trained on ImageNet data was more likely to classify images of Black subjects as "wrongdoers" or "offenders." <sup>14</sup>



Once the necessary data has been collected, the development team must clean, process, and normalize the data so that it can be used to train and validate a model. Developers must also select a machine learning approach, or adapt an off-the-shelf model, that is appropriate for the nature of the data they are using and the problem they are trying to solve. This may involve building many different models using different approaches and then choosing the most successful among them. 

15 Usually, the development team must also make choices about data parameters to make the model functional. For instance, data reflecting a numerical score may be converted to a "yes" or "no" answer by assigning a threshold—for example, scores equal or greater to X may be re-designated as a "yes," and scores below that threshold designated "no." Biases that can emerge during the development stage include the following:

Proxy Bias. The process of selecting the input variables (i.e., "features") that the model will weigh
as it is being trained is another critical decision point that can introduce bias. Even when sensitive
demographic data is excluded, bias may be introduced if the system relies on features that are
closely correlated to those traits, called proxies.

#### **EXAMPLE**

Even the use of seemingly benign features can introduce proxy bias due to their correlation with sensitive attributes. Researchers have shown, for instance, that information about whether a person owns a Mac or PC laptop may be predictive of their likelihood to pay back a loan. A financial institution might therefore seek to include such a variable when building an Al system to screen potential loan applicants. However, the inclusion of that feature also introduces a significant risk of proxy bias because Mac ownership correlates closely to race. As a result, its inclusion could result in a system that systematically disfavors applicants based on a feature that is closely correlated to race but that is unrelated to actual credit risk.

Aggregation Bias. Using a "one-size-fits-all" model that overlooks key variables can result in system performance that is optimized only for the dominant sub-group. Aggregation bias can arise if the model fails to account for underlying differences between sub-groups that materially impact a system's accuracy rates. Rare phenomena may be lost in averages and aggregates. Worse, models of aggregated populations may correctly predict different or even opposite behavior to modes of sub-groups of the same population, a phenomenon known as Simpson's Paradox.

#### **EXAMPLE**

The risk of aggregation bias is particularly acute in healthcare settings where diagnosis and treatment must often account for the unique manner in which medical conditions may impact people across racial and ethnic lines. For instance, because the risk of complications posed by diabetes varies wildly across ethnicities, an AI system used to predict the risks associated with diabetes may underperform for certain patients unless it accounts for these differences.<sup>17</sup>



#### **DEPLOYMENT, MONITORING, AND ITERATION**


Al systems inevitably encounter real world scenarios that differ from the data used to train the model. As a result, even a system that has been thoroughly validated and tested prior to deployment may suffer performance degradation when it is put into production. Therefore, it is important that Al systems undergo ongoing evaluation and assessment throughout their lifecycles.

- Deployment Bias. Bias can arise in various ways after a system has been deployed, including when the data used to train or evaluate an AI system differs markedly from the population the system encounters when it is deployed, rendering the model unable to perform as intended. Deployment bias can emerge when a model is unable to reliably generalize beyond the data on which it was trained, either because the model was overfitted at the time of training (i.e., the prediction model learned so much detail about the training data that it is unable to make accurate generalizations about other data inputs) or because of concept drift (i.e., performance degradation was brought on by a shift in the relationship between the target variable and the training data).
- Misuse Bias. Deployment bias can also arise when an AI system or feature built for one purpose
  is used in an unexpected or unintended manner.

# The Need for Al Risk Management

#### What Is Risk Management?

Risk management is a process for ensuring systems are trustworthy by design by establishing a methodology for identifying risks and mitigating their potential impact. Risk management processes are particularly important in contexts, such as cybersecurity and privacy, where the combination of quickly evolving technologies and highly dynamic threat landscapes render traditional "compliance" based approaches ineffective. Rather than evaluating a product or service against a static set of prescriptive requirements that quickly become outdated, risk management seeks to integrate compliance responsibilities into the development pipeline to help mitigate risks throughout a product or service's lifecycle. Effective risk management is anchored around a governance framework that promotes collaboration between an organization's development team and its compliance personnel at key points during the design, development, and deployment of a product.



Organizations that develop and use AI systems must take steps to prevent bias from manifesting in a manner that unjustifiably yields less favorable or harmful outcomes based on someone's demographic characteristics. Effectively guarding against the harms that might arise from such bias requires a risk management approach because:

# "BIAS" AND "FAIRNESS" ARE CONTEXTUAL

It is impossible to eliminate bias from AI systems because there is no universally agreed upon method for evaluating whether a system is operating in a manner that is "fair." In fact, as Professor Arvind Narayanan has famously explained, there are at least 21 different definitions<sup>18</sup> (i.e., mathematical criteria) that can be used to evaluate whether a system is operating fairly, and it is impossible for an AI system to simultaneously satisfy all of them. Because no universal definition of fairness exists, developers must instead evaluate the nature of the system they are creating to determine which metric for evaluating bias is most appropriate for mitigating the risks that it might pose.

# EFFORTS TO MITIGATE BIAS MAY INVOLVE TRADE-OFFS

Interventions to mitigate bias for one group can increase it for other groups and/or reduce a system's overall accuracy. 19 Risk management provides a mechanism for navigating such trade-offs in a context-appropriate manner.

#### **BIAS CAN ARISE POST-DEPLOYMENT**

Even if a system has been thoroughly evaluated prior to deployment, it may produce biased results if it is misused or deployed in a setting in which the demographic distribution differs from the composition of its training and testing data.

# Foundations for Effective Risk Management

The aim of risk management is to establish repeatable processes for identifying and mitigating potential risks that can arise throughout an AI system's lifecycle. A comprehensive risk management program has two key elements:

1

A governance framework to support the organization's risk management functions.

2

A scalable process for performing an **impact assessment** to identify and mitigate risks.

#### **Governance Framework**

Effective AI risk management should be underpinned by a governance framework that establishes the policies, processes, and personnel that will be used to identify, mitigate, and document risks throughout the system's lifecycle. The purpose of such a governance framework is to promote understanding across organizational units—including product development, compliance, marketing, sales, and senior management—about each entity's role and responsibilities for promoting effective risk management during the design, development, and deployment of AI systems. Key features of a risk management governance framework include:

#### **Policies and Processes**

At the core of the governance framework is a set of formal policies setting forth the organization's approach to risk management. These policies should define the organization's risk management objectives, the procedures that it will use to meet those objectives, and the benchmarks it will rely on for evaluating compliance.

- Objectives. Al risk management should be contextualized within an organization's broader risk
  management functions with the goal of ensuring that the organization is developing and using
  Al in a manner that aligns with its core values. To that end, the governance framework should
  identify how the organization will manage risks that could undermine those values.
- **Processes.** The governance framework should establish processes and procedures for identifying risks, assessing the materiality of those risks, and mitigating risks at each stage of the AI lifecycle.
- **Evaluation Mechanisms.** The governance framework should establish mechanisms, such as metrics and benchmarks, that the organization will use to evaluate whether policies and procedures are being carried out as specified.
- Periodic Review. As Al capabilities continue to mature and the technology is put to new uses,
  it is important that organizations periodically review and update their Al governance framework
  so that it remains fit-for-purpose and capable of addressing the evolving landscape of risk.



**Executive Oversight.** Al Developers and Al Deployers should maintain a governance framework that is backed by sufficient executive oversight. In addition to developing and approving the substance of the governance framework's policies, senior management should play an active role in overseeing the company's Al product development lifecycle. For high-risk systems that may negatively impact people in consequential ways, company leadership should be accountable for making "go/no-go" decisions.

#### Personnel, Roles, and Responsibilities

The effectiveness of risk management depends on establishing a cross-functional group of experts that can guide decisions throughout the AI lifecycle. Depending on the size of an organization and the nature of the systems it is developing or deploying, the responsibilities for risk management may involve staff from multiple business units. The governance framework should therefore identify the personnel within the organization who have roles and responsibilities related to AI risk management and clearly map reporting lines, authorities, and necessary expertise. In assigning roles and responsibilities, organizations should prioritize independence, competence, influence, and diversity.

- **Independence.** Risk management is most effective when personnel are structured in a manner that facilitates separate layers of independent review. For instance, risk management responsibilities may be split between multiple teams, including:
  - Product Development Team. Engineers, data scientists, and domain experts involved in designing and developing AI products and services.
  - Compliance Team. A diverse team of legal, compliance, domain experts, and data
    professionals who are responsible for overseeing compliance with the company's Al
    development policies and practices, such as the development of impact assessments
    for high-risk Al systems.
  - Governance Team. Ideally a senior management-led team with responsibility for developing, maintaining, and ensuring effective oversight of the organization's AI Governance Framework and risk management processes.
- Competence, Resourcing, and Influence. Personnel with risk management responsibilities must be provided with adequate training and resources to fulfill their governance functions. It is equally important to ensure that personnel are empowered and have the right incentives to make decisions to address and/or escalate risks. For instance, the organization should establish a clear escalation path that enables risk management personnel to engage with executive decision-makers so that there is executive-level visibility into key risk areas and decisions.



**Diversity.** The sociotechnical nature of AI systems makes it vitally important to prioritize diversity within the teams involved in a system's development and oversight. Development and oversight processes are most effective when team members bring diverse perspectives and backgrounds that can help anticipate the needs and concerns of users who may be impacted by or interact with an AI system. Because "algorithm development implicitly encodes developer assumptions that they may not be aware of, including ethical and political values," it is vital that organizations establish teams that reflect a diversity of lived experiences and that traditionally underrepresented perspectives are included throughout the lifecycle of the AI design and development process.<sup>20</sup> To the extent an organization is lacking in diversity, it should consult with outside stakeholders to solicit feedback, particularly from underrepresented groups that may be impacted by the system.

#### **Impact Assessment**

To effectively manage AI risks, organizations should implement a robust process for performing impact assessments on any system that may materially impact members of the public. Impact assessments are widely used in a range of other fields—from environmental protection to data protection—as an accountability mechanism that promotes trust by demonstrating that a system has been designed in a manner that accounts for the potential risks it may pose to the public. In short, the purpose of an impact assessment is to identify the risks that a system may pose, quantify the degree of harm the system could generate, and document any steps that have been taken to mitigate those risks to an acceptable level.

Impact assessment processes should be tailored to address the nature of the system that is being evaluated and the type of harms it may pose. For truly low-risk systems—for example, a system used to predict the type of fonts being used on a document—a full impact assessment may not be necessary. But for systems that pose an inherent risk of material harm to the public, a full impact assessment should be performed. Given the incredible range of applications to which AI can be applied, there is no "one-size-fits-all" approach for identifying and mitigating risks. Instead, impact assessment processes should be tailored to address the nature of an AI system and the type of inherent risks and potential harms it may pose. To determine whether a system poses an inherent risk of material harm, stakeholders should consider:

- Potential Impact on People. Impact assessments are likewise important in circumstances where
  an AI system will be used in decision-making processes that may result in consequential impacts
  on people, such as their ability to obtain access to credit or housing.
- Context and Purpose of the System. Evaluating the nature of the AI system and the setting in which it will be used is a good starting point for determining both the necessity and appropriate scope of an impact assessment. Impact assessments are particularly critical for high-risk AI systems that will be used in domains (e.g., healthcare, transportation, finance) where the severity and/or likelihood of potential harms is high.
- Degree of Human Oversight. The degree to which an AI system is fully automated may also impact the inherent risks that it poses. A system designed to provide recommendations to a highly skilled professional is likely to pose fewer inherent risks than a similarly situated fully automated system. Of course, the mere existence of a human-in-the-loop certainly does not mean that an AI system is free from risk. It is necessary instead to examine the nature of the human-computer interaction holistically to determine the extent to which human oversight may mitigate an AI system's inherent risks.
- **Type of Data.** The nature of the data used to train a system can also shed light on a system's inherent risks. For instance, using training data relating to human characteristics or behaviors is a signal that a system may require closer scrutiny for bias.

# Al Bias Risk Management Framework

We outline below an Al Bias Risk Management Framework that is intended to aid organizations in performing impact assessments on systems with potential risks of Al bias. In addition to setting forth processes for identifying the sources of bias that can arise throughout an Al system's lifecycle, the Framework identifies best practices that can be used to mitigate those risks.

The Framework is an assurance-based accountability mechanism that can be used by AI Developer and AI Deployer organizations for purposes of:

- Internal Process Guidance. Al Developers and Al Deployers can use the Framework as a tool for organizing and establishing roles, responsibilities, and expectations for internal processes.
- Training, Awareness, and Education.
   Al Developers and Al Deployers can use the Framework to build internal training and education programs for employees involved in developing and using Al systems. In addition, the Framework may provide a useful tool for educating executives about the organization's approach to managing Al bias risks.
- Assurance and Accountability.
   Al Developers and Al Deployers can use the Framework as a basis for communicating and coordinating about their respective roles and responsibilities for managing Al risks throughout a system's lifecycle.

- Vendor Relations. Al Deployers may choose to use the Framework to guide purchasing decisions and/or developing vendor contracts that ensure Al risks have been adequately accounted for.
- Trust and Confidence. Al Developers may
  wish to communicate information about
  a product's features and its approach to
  mitigating Al bias risks to a public audience.
  In that sense, the Framework can help
  organizations communicate to the public
  about their commitment to building ethical
  Al systems.
- Incident Response. Following an unexpected incident, the processes and documentation set forth in the Framework provide an audit trail that can help AI Developers and AI Deployers identify the potential source of system underperformance or failure.

#### **Al Lifecycle Phases**

The Framework is organized around the phases of the AI lifecycle, which represent the key iterative steps involved in the creation and use of an AI system.



#### **DESIGN PHASE**

- **Project Conception.** The initial stage of AI design involves identifying and formulating the "problem" that the system is intended to address and initially mapping how the model will achieve that objective. During this phase, the design team will define the purpose and structure of the system. Depending on the nature of the system, the design team will identify a target variable that the system is intended to predict. For instance, a fitness app that analyzes a consumer's heart rate to monitor for irregularities that might predict whether that person is at risk of a stroke or heart disease (i.e., the target variable). At this early stage of the system design process, the goal of the Bias Risk Management Framework is to identify whether using AI is appropriate for the project at hand. Potential risks include:
  - Problem Formulation Bias. Target variables may reflect inherent prejudices or faulty
    assumptions that can perpetuate harmful biases. In some instances, the basic assumptions
    underlying a proposed AI system may be so inherently biased as to render it inappropriate
    for any form of public deployment.
- Data Acquisition. Once the system objectives have been defined, developers must assemble a corpus of data that will be used to train the model to identify patterns that will enable it to make predictions about future data inputs. This training data can inadvertently introduce biases into an AI system in many ways. Potential risks include:
  - Historical Bias. Training an AI system using data that itself may reflect historical biases creates
    a risk of further entrenching those inequities.
  - Sampling Bias. The risk of bias also arises when the data used to train an AI system is not representative of the population in which it will be deployed. An AI system trained on unrepresentative data may not operate as effectively when making predictions about a member of a class that is either over- or under-represented.
  - Labeling Bias. Many AI systems require training data to be labeled so that it can identify what
    patterns it should be looking for. The process of labeling the training dataset can be a vector
    for introducing bias into the AI system.



#### **DEVELOPMENT PHASE**

- Data Preparation and Model Definition. The next step of the AI lifecycle involves preparing the data so that it is ready to train the model. During this process, the development team will clean, normalize, and identify the variables (i.e., "features") in the training data that the algorithm will evaluate as it looks for patterns and relationships as the basis of a rule for making future predictions. The team must also establish the system's underlying architecture, including selecting the type of algorithmic model that will power the system (e.g., linear regression, logistic regression, deep neural network.)<sup>21</sup> Once the data is ready and the algorithm is selected, the team will train the system to produce a functional model that can make predictions about future data inputs. Potential risks include the following:
  - Proxy Bias. The process of selecting features in the training data and choosing a modeling approach involves human decisions about what variables should be considered as relevant for making predictions about the model's target variable. These interventions can inadvertently introduce bias to the system, including by relying on variables that act as proxies for protected classes.
  - Aggregation Bias. Aggregation bias can arise if the model fails to account for underlying differences between sub-groups that materially impact a system's accuracy rates. Using a "one-size-fits-all" model that overlooks key variables can result in system performance that is optimized only for the dominant sub-group.
- Model Validation, Testing, and Revision. After the model has been trained, it must be validated
  to determine if it is operating as intended and tested to demonstrate that the system's outputs do
  not reflect unintended bias. Based on outcome of validation and testing, the model may need to
  be revised to mitigate risks of bias that are deemed unacceptable.



#### **DEPLOYMENT PHASE**

• Deployment and Use. Prior to deployment, the AI Developer should evaluate the system to determine whether risks identified in earlier stages of design and development have been sufficiently mitigated in a manner that corresponds to the company's governance policies. To the extent identified risks may arise through misuse of the system, the AI Developer should seek to control for them by integrating product features (e.g., user interfaces that reduce risk of misuse) to mitigate those risks, prohibiting uses that could exacerbate risks (e.g., end-user license agreements), and providing AI Deployers with sufficient documentation to perform their own impact assessments.

Prior to using an AI system, an AI Deployer should review documentation provided by the AI Developer to assess whether the system corresponds with its own AI governance policies and to determine whether deployment-related risk management responsibilities are clearly assigned. Although some post-deployment risk management responsibilities may be addressed by the AI Developer, the AI Deployer will often bear responsibility for monitoring system performance and evaluating whether it is operating in a manner that is consistent with its risk profile. Potential risks include:

- Deployment Bias. Al systems are trained on data that represents a static moment in time and that filters out "noise" that could undermine the model's ability to make consistent and accurate predictions. Upon deployment in the real world, Al systems will necessarily encounter conditions that differ from those in the development and testing environment. Further, because the real-world changes over time, the snapshot in time that a model represents may naturally become less accurate as the relationship between data variables evolves. If the input data for a deployed Al system differs materially from its training data, there is a risk that the system could "drift" and that the performance of the model could be undermined in ways that will exacerbate the risks of bias. For instance, if an Al system is designed (and tested) for use in a specific country, the system may not perform well if it is deployed in a country with radically different demographics.
- Misuse Bias. Deploying an Al system into an environment that differs significantly from the
  conditions for which it was designed or for purposes that are inconsistent with its intended
  use cases can exacerbate risks of bias.

#### Framework Structure

The Framework identifies best practices for identifying and mitigating risks of AI bias across the entire system lifecycle. It is organized into:

- Functions, which denote fundamental AI risk management activities at their highest level, dividing them between Impact Assessment and Risk Mitigation Best Practices.
- Categories, which set out the activities and processes that are needed to execute upon the Functions at each phase of the Al Lifecycle. In other words, the Categories set forth the steps for performing an Impact Assessment and identify the corresponding Risk Mitigation Best Practices that can be used to manage associated risks.
- Diagnostic Statements, which set forth
  the discrete actions that should be taken to
  execute upon the Categories. They provide a
  set of results that help support achievement
  of the outcomes in each Category.

- Comments on Implementation, which provide additional information for achieving the outcomes described in the Diagnostic Statements.
- Tools and Resources, which identify a range of external guidance and toolkits that stakeholders can use to mitigate the bias risks associated with each phase of the AI lifecycle. The specific tools and resources identified in the framework are non-exhaustive and are highlighted for informational purposes only.

# Stakeholder Roles and Responsibilities

Reflecting the inherently dynamic nature of Al systems, the Framework is intended to account for the array of stakeholders that may play a role in various aspects of a system's design, development, and deployment. Because there is no single model of Al development or deployment, it is impossible in the abstract to assign roles or delegate specific responsibilities for many of the Framework's risk management functions. However, in general, there are three sets of stakeholders that may bear varying degrees of responsibility for certain aspects of Al risk management throughout a system's lifecycle:

- Al Developers. Al Developers are organizations responsible for the design and development of Al systems.
- Al Deployers. Al Deployers are the organizations that adopt and use Al systems. (If an entity develops its own system, it is both the Al Developer and the Al Deployer.)
- Al End-Users. Al End-Users are the individuals—oftentimes an employee of an Al Deployer—who are responsible for overseeing the use of an Al system.

The allocation of risk management responsibilities between these stakeholders will in many cases depend on an Al system's development and deployment model.

# Spectrum of AI Development and Deployment Models

The appropriate allocation of risk management responsibilities between stakeholders will vary depending on the nature of the AI system being developed and which party determines the purposes and means by which the underlying model is trained. For instance:

- Universal, Static Model. The AI Developer provides all its customers (i.e., AI Deployers) with a static, pre-trained model.
  - The AI Developer will bear responsibility for most aspects of model risk management.
- Customizable Model. The AI Developer provides a pre-trained model to AI Deployers who can customize and/or retrain the model using their own data.
  - Risk management will be a shared responsibility between the AI Developer and the AI Deployer.
- Bespoke Model. The AI Developer trains a bespoke AI model on behalf of an AI Deployer using the AI Deployer's data.
  - Risk management will be a shared responsibility between the AI Developer and the AI Deployer, with the bulk of obligations falling on the AI Deployer.

# BSA Al Bias Risk Management Framework

DESIGN			
Function	Category	Diagnostic Statement	Comments on Implementation
PROJECT CONCE	EPTION		
Impact Assessment	Identify and Document Objectives and Assumptions	Document the intent and purpose of the system.	<ul> <li>What is the purpose of the system—i.e., what "problem" will it solve?</li> <li>Who is the intended user of the system?</li> <li>Where and how will the system be used?</li> <li>What are the potential misuses?</li> </ul>
		Clearly define the model's intended effects.	What is the model intended to predict, classify, recommend, rank, or discover?
		Clearly define intended use cases and context in which the system will be deployed.	
	Select and Document Metrics for Evaluating Fairness	Identify "fairness" metrics that will be used as a baseline for assessing bias in the AI system.	The concept of "fairness" is highly subjective and there are dozens of metrics by which it can be evaluated. Because it is impossible to simultaneously satisfy all fairness metrics, it is necessary to select metrics that are most appropriate for the nature of the AI system that is being developed and consistent with any applicable legal requirements. It is important to document the rationale by which fairness metrics were selected and/or excluded to inform latter stages of the AI lifecycle.
	Document Stakeholder Impacts	Identify stakeholder groups that may be impacted by the system.	Stakeholder groups include AI Deployers, AI End-Users, Affected Individuals (i.e., members of the public who may interact with or be impacted by an AI system).
		For each stakeholder group, document the potential benefits and potential adverse impacts, considering both the intended uses and reasonably foreseeable misuses of the system.	
		Assess whether the nature of the system makes it prone to potential bias-related harms based on user demographics.	User demographics may include, but are not limited to race, gender, age, disability status, and their intersections.
	Document Risk Mitigations	If risk of bias is present, document efforts to mitigate risks.	



## DESIGN

Function	Category	Diagnostic Statement	Comments on Implementation	
PROJECT CONCEPTION				
Impact Assessment (continued)	Document Risk Mitigations	Document how identified risks and potential harms of each risk will be measured and how the effectiveness of mitigation strategies will be evaluated.		
		If risk of bias is present, document efforts to mitigate risks.		
		If risks are unmitigated, document why the risk was deemed acceptable.		
Risk Mitigation Best Practices	Independence and Diversity	Seek feedback from a diverse set of stakeholders to inform the impact assessment.	Because risks identified during this initial phase will inform later aspects of the development and impact assessment processes, it is vital to develop a holistic understanding of potential harms that may arise by soliciting diverse perspectives from people with a range of lived experiences, cultural backgrounds, and subject matter expertise. To the extent in-house personnel lack subject matter or cultural diversity, it may be necessary to consult with third-party experts or to solicit feedback from members of communities that may be adversely impacted by the system.	
	Transparent Documentation	Share impact assessment documentation with personnel working on later stages of the AI pipeline so that risks and potential unintended impacts can be monitored throughout the development process.		
	Accountability and Governance	Ensure that senior leadership has been adquately briefed on potential high risk AI systems.	Impact assessment documentation for systems deemed "high risk" should be shared with senior leadership to facilitate a "go/no-go" decision.	
DATA ACQUISIT	ION			
Impact Assessment	Maintain Records of Data Provenance	Maintain sufficient records to enable "recreation" of the data used to train the AI model, verify that its results are reproducible, and monitor for material updates to data sources.	Records should include:  Source of data  Origin of data (e.g., Who created it? When? For what purpose? How was it created?)  Intended uses and/or restrictions of the data and data governance rules (e.g., What entity owns the data? How long can it be retained (or must it be destroyed)? Are there restrictions on its use?)  Known limitations of data (e.g., missing elements?)  If data is sampled, what was the sampling strategy?  Will the data be updated? If so, will any versions be tracked?	



## DESIGN

Function	Category	Diagnostic Statement	Comments on Implementation	
DATA ACQUISITION				
Impact Assessment (continued)	Examine Data for Potential Biases	Scrutinize data for historical biases.	Examine sources of data and assess potential that they may reflect historical biases.	
		Evaluate "representativeness" of the data.	<ul> <li>Compare demographic distribution of training data to the population where the system will be deployed.</li> <li>Assess whether there is sufficient representation of subpopulations that are likely to interact with the system.</li> </ul>	
		Scrutinize data labeling methodology.	<ul> <li>Document personnel and processes used to label data.</li> <li>For third-party data, scrutinize labeling (and associated methodologies) for potential sources of bias.</li> </ul>	
	Document Risk Mitigations	Document whether and how data was augmented, manipulated, or rebalanced to mitigate bias.		
Risk Mitigation Best Practices	Independence and Diversity	To facilitate robust interrogation of the datasets, data review teams should include personnel that are diverse in terms of their subject matter expertise and lived experiences.	Effectively identifying potential sources of bias in data requires a diverse set of expertise and experiences, including familiarity with the domain from which data is drawn and a deep understanding of the historical context and institutions that produced it. To the extent in-house personnel lack diversity, consultation with third-party experts or potentially affected stakeholder groups may be necessary.	
	Re-Balancing Unrepresentative Data	Consider re-balancing with additional data.	Improving representativeness can be achieved in some circumstances by collecting additional data that improves the balance of the overall training dataset.	
		Consider re-balancing with synthetic data.	Imbalanced datasets can potentially be rebalanced by "oversampling" data from the underrepresented groups. A common oversampling method is the Synthetic Minority Oversampling Technique, which generates new "synthesized" data from the underrepresented group.	



#### **DESIGN**

Function	Category	Diagnostic Statement	Comments on Implementation		
DATA ACQUISITION	DATA ACQUISITION				
Risk Mitigation Best Practices (continued)	Data Labeling	Establish objective and scalable labeling guidelines.	<ul> <li>To mitigate the potential of labeling bias, the personnel responsible for labeling the data should be provided with clear guidelines establishing an objective and repeatable process for individual labeling decisions.</li> <li>In domains where the risk of bias is high, labelers should have adequate subject matter expertise and be provided training to recognize potential unconscious biases.</li> <li>For high-risk systems, it may be necessary to set up a quality assurance mechanism to monitor label quality.</li> </ul>		
	Accountability and Governance	Integrate data labeling processes into a comprehensive data strategy.	Establishing an organizational data strategy can help ensure that data evaluation is performed consistently and prevent duplication of effort by ensuring that company efforts to scrutinize data are documented for future reference.		

#### **DESIGN: RISK MITIGATION TOOLS AND RESOURCES**

#### **Project Conception**

- Aequitas Bias and Fairness Audit Toolkit
   Pedro Saleiro, Abby Stevens, Ari Anisfeld, and Rayid Ghani,
   University of Chicago Center for Data Science and Public Policy
   (2018), http://www.datasciencepublicpolicy.org/projects/aequitas/.
- Diverse Voices Project | A How-To Guide for Facilitating Inclusiveness in Tech Policy
   Lassana Magassa, Meg Young, and Batya Friedman, University of Washington Tech Policy Lab, <a href="https://techpolicylab.uw.edu/project/diverse-voices/">https://techpolicylab.uw.edu/project/diverse-voices/</a>.

#### **Data Compilation**

#### • Datasheets for Datasets

Timnit Gebru, Jamie Morgenstern, Briana Vecchione, Jennifer Wortman Vaughan, Hanna Wallach, Hal Daumé III, and Kate Crawford, arXiv:1803.09010v7, (March 19, 2020), https://arxiv.org/abs/1803.09010.

#### • Al FactSheets 360

IBM Research, https://aif360.mybluemix.net/.



# DEVELOPMENT

Function	Category	Diagnostic Statement	Comments on Implementation		
DATA PREPARATI	DATA PREPARATION AND MODEL DEFINITION				
Impact Assessment	Document Feature Selection and Engineering Processes	Document rationale for choices made during the feature selection and engineering processes and evaluate their impact on model performance.	Examine whether feature selection or engineering choices may rely on implicitly biased assumptions.		
		Document potential correlation between selected features and sensitive demographic attributes.	For features that closely correlate to a sensitive class, document the relevance to the target variable and the rationale for its inclusion in the model.		
	Document Model Selection Process	Document rationale for the selected modeling approach.			
		Identify, document, and justify assumptions in the selected approach and potential resulting limitations.			
Risk Mitigation Best Practices	Feature Selection	Examine for biased proxy features.	<ul> <li>Simply avoiding the use of sensitive attributes as inputs to the system—an approach known as "fairness through unawareness"—is not an effective approach to mitigating the risk of bias. Even when sensitive characteristics are explicitly excluded from a model, other variables can act as proxies for those characteristics and introduce bias into the system. To avoid the risk of proxy bias, the AI Developer should examine the potential correlation between a model's features and protected traits and examine what role these proxy variables may be playing in the model's output.</li> <li>The ability to examine statistical correlation between features and sensitive attributes may be constrained in circumstances where an AI Developer lacks access to sensitive attribute data and/or is prohibited from making inferences about such data.<sup>22</sup> In such circumstances, a more holistic analysis informed by domain experts may be necessary.</li> </ul>		



# DEVELOPMENT

Function	Category	Diagnostic Statement	Comments on Implementation	
DATA PREPARATI	ON AND MODEL DEFINI	TION		
Risk Mitigation Best Practices (continued)	Feature Selection	Scrutinize features that correlate to sensitive attributes.	<ul> <li>Features that are known to correlate to a sensitive attribute should only be used if there is a strong logical relationship to the system's target variable.</li> <li>For example, income—although correlated to gender—is reasonably related to a person's ability to pay back a loan. The use of income in an AI system designed to evaluate creditworthiness would therefore be justified. In contrast, the use of "shoe size"—which also correlates to gender—in a model for predicting creditworthiness would be an inappropriate use of a variable that closely correlates to a sensitive characteristic.</li> </ul>	
	Independence and Diversity	Seek feedback from diverse stakeholders with domain-specific expertise.	The feature engineering process should be informed by personnel with diverse lived experiences and expertise about the historical, legal, and social dimensions of the data being used to train the system.	
	Model Selection	Avoid inscrutable models in circumstances where both the risk and potential impact of bias are high.	Using more interpretable models can mitigate the risks of unintended bias by making it easier to identify and mitigate problems.	
VALIDATING, TES	TING, AND REVISING TH	IE MODEL		
Impact Assessment	Document Validation Processes	Document how the system (and individual components) will be validated to evaluate whether it is performing consistent with the design objectives and intended deployment scenarios.		
		Document re-validation processes.	<ul> <li>Establish cadence at which model will be regularly re-validated.</li> <li>Establish performance benchmarks that will trigger out-of-cycle re-validation.</li> </ul>	
	Document Testing Processes	Test the system for bias by evaluating and documenting model performance.	Testing should incorporate fairness metrics identified during Design phase and examine the model's accuracy and error rates across demographic groups.	
		Document how testing was performed, which fairness metrics were evaluated, and why those measures were selected.		
		Document model interventions.	If testing reveals unacceptable levels of bias, document efforts to refine the model.	



#### **DEVELOPMENT**

Function	Category	Diagnostic Statement	Comments on Implementation
VALIDATING, TES	TING, AND REVISING TH	HE MODEL	
Risk Mitigation Best Practices	Model Interventions	Evaluate potential model refinements to address bias surfaced during testing.	In circumstances where testing reveals that the system is exhibiting unacceptable levels of bias based on the selected fairness metric, it will be necessary to refine the model. Potential model refinements include:  • Pre-Processing Interventions. Such refinements can involve revisiting
			earlier stages of the Design and Development lifecycle (e.g., seeking out additional training data).
			In-Processing Interventions. Bias can also be mitigated by imposing an additional fairness constraint directly on the model. Traditional machine learning models are designed to maximize for predictive accuracy. Emerging techniques enable developers to build constraints into the model to reduce the potential for bias across groups. The addition of a fairness constraint, in effect, instructs the model to optimize both for accuracy and a specific fairness metric.  Post-Processing Interventions. In some cases, bias can be addressed through the use of post-processing algorithms that manipulate the model's output predictions to ensure that it
			adheres to a desired distribution.
	Independence and Diversity	Validation and testing documentation should be reviewed by personnel who were not involved in the system's	The independent team should compare the validation and testing results to the system specifications developed

development.

#### **DEVELOPMENT: RISK MITIGATION TOOLS AND RESOURCES**

#### • Model Cards for Model Reporting

Margaret Mitchell, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru, Proceedings of the 2019 Conference on Fairness, Accountability, and Transparency, (January 2019): 220–229, <a href="https://arxiv.org/abs/1810.03993">https://arxiv.org/abs/1810.03993</a>.

- Al Factsheets 360
  - Aleksandra Mojsilovic, IBM Research (August 22, 2018), https://www.ibm.com/blogs/research/2018/08/factsheets-ai/.
- AI Explainability 360
   IBM Research, <a href="https://aix360.mybluemix.net/">https://aix360.mybluemix.net/</a>.
- Al Fairness 360
  IBM Research, https://aif360.mybluemix.net/.
- Responsible Machine Learning with Error Analysis
   Besmira Nushi, Microsoft Research (February 18, 2021),
   <a href="https://techcommunity.microsoft.com/t5/azure-ai/responsible-machine-learning-with-error-analysis/ba-p/2141774">https://techcommunity.microsoft.com/t5/azure-ai/responsible-machine-learning-with-error-analysis/ba-p/2141774</a>.

- Aequitas Open Source Bias Audit Toolkit
  - Pedro Saleiro, Abby Stevens, Ari Anisfeld, and Rayid Ghani, University of Chicago Center for Data Science and Public Policy, http://www.datasciencepublicpolicy.org/projects/aequitas/.

development process.

during earlier phases of the design and

- FairTest: Discovering Unwarranted Associations in Data-Driven Applications
  - Florian Tramer, Vaggelis Atlidakis, Roxana Geambasu, Daniel Hsu, Jean-Pierre Hubaux, Mathias Humbert, Ari Juels and Huang Lin, ArXiv, (2015), <a href="https://github.com/columbia/fairtest">https://github.com/columbia/fairtest</a>.
- Bayesian Improved Surname Geocoding
   Consumer Finance Protection Bureau (2014), <a href="https://files.consumerfinance.gov/f/201409">https://files.consumerfinance.gov/f/201409</a> cfpb report proxy-methodology.
   pdf.



#### DEPLOYMENT AND USE

Function	Category	Diagnostic Statement	Comments on Implementation	
PREPARING FOR DEPLOYMENT AND USE				
Impact Assessment	Document Lines of Responsibility	Define and document who is responsible for the system's outputs and the outcomes they may lead to, including details about how a system's decisions can be reviewed if necessary.		
		Establish management plans for responding to potential incidents or reports of system errors.	<ul> <li>What does it mean for the system to fail and who might be harmed by a failure?</li> <li>How will failures be detected?</li> <li>Who will respond to failures when they are detected?</li> <li>Can the system be safely disabled?</li> <li>Are there appropriate plans for continuity of critical functions?</li> </ul>	
	Document Processes for Monitoring Data	Document what processes and metrics will be used to evaluate whether production data (i.e., input data the system encounters during deployment) differs materially from training data.		
	Document Processes for Monitoring Model Performance	For static models, document how performance levels and classes of error will be monitored over time and benchmarks that will trigger review.		
		For models that are intended to evolve over time, document how changes will be inventoried; if, when, and how versions will be captured and managed; and how performance levels will be monitored (e.g., cadence of scheduled reviews, performance indicators that may trigger out-of-cycle review).		
	Document Audit and End-of-Life Processes	Document the cadence at which impact assessment evaluations will be audited to evaluate whether risk mitigation controls remain fit for purpose.		
		Document expected timeline that system support will be provided and processes for decommissioning system in event that it falls below reasonable performance thresholds.		
Risk Mitigation Best Practices	Monitoring for Drift and Model Degradation	Input data encountered during deployment can be evaluated against a statistical representation of the system's training data to evaluate the potential for data drift (i.e., material differences between the training data and deployment data that can degrade model performance).		



#### **DEPLOYMENT AND USE**

Function	Category	Diagnostic Statement	Comments on Implementation		
PREPARING FOR	PREPARING FOR DEPLOYMENT AND USE				
Risk Mitigation Best Practices (continued)	Product Features and User Interface	Integrate product and user interface features to mitigate risk of foreseeable unintended uses—e.g., interface that enforces human-in-the-loop requirements, alerts to notify when a system is being misused.			
	System Documentation	Al Developers should provide sufficient documentation regarding system capabilities, specifications, limitations, and intended uses to enable Al Deployers to perform independent impact assessment concerning deployment risks.	If necessary, Al Developers can also provide Al Deployers with a technical environment to perform an independent impact assessment.		
		Consider incorporating terms into the End-User License Agreement that set forth limitations designed to prevent foreseeable misuses (e.g., contractual obligations to ensure end-user will comply with acceptable use policy).			
		Sales and marketing materials should be closely reviewed to ensure that they are consistent with the system's actual capabilities.			
	Al User Training	Al Deployers should provide training for Al Users regarding a system's capabilities and limitations, and how outputs should be evaluated and integrated into a workflow.	For human-in-the-loop oversight of AI system to be an effective risk mitigation measure, AI Users should be provided adequate information and training so they can understand how the system is operating and make sense of the model's outputs.		
	Incident Response and Feedback Mechanisms	Al Deployers should maintain a feedback mechanism to enable Al Users and Affected Individuals (i.e., members of the public that may interact with the system) to report concerns about the operation of a system.	For consequential decisions, Affected Individuals should be provided with an appeal mechanism.		

#### **DEPLOYMENT AND USE: RISK MITIGATION TOOLS AND RESOURCES**

- Al Incident Response Checklist BNH.Al, https://www.bnh.ai/public-resources.
- Watson OpenScale
  IBM, https://www.ibm.com/cloud/watson-openscale.
- Detect Data Drift on Datasets

Microsoft Azure Machine Learning (June 25, 2020), <a href="https://docs.microsoft.com/en-us/azure/machine-learning/how-to-monitor-datasets?tabs=python#create-dataset-monitors">https://docs.microsoft.com/en-us/azure/machine-learning/how-to-monitor-datasets?tabs=python#create-dataset-monitors</a>.

# Foundational Resources

# A Framework for Understanding Unintended Consequences of Machine Learning

Harini Suresh and John V. Guttag, arXiv (February 2020), <a href="https://arxiv.org/abs/1901.">https://arxiv.org/abs/1901.</a> 10002.

#### Al Fairness

Trisha Mahoney, Kush R. Varshney, and Michael Hind, O'Reilly (April 2020), <a href="https://www.oreilly.com/library/view/ai-fairness/9781492077664/">https://www.oreilly.com/library/view/ai-fairness/9781492077664/</a>.

#### Beyond Explainability: A Practical Guide to Managing Risk in Machine Learning Models

Andrew Burt, Brenda Leong, Stuart Shirrell, and Xiangnong (George) Wang, Future of Privacy Forum (June 2018), <a href="https://fpf.org/wp-content/uploads/2018/06/Beyond-Explainability.pdf">https://fpf.org/wp-content/uploads/2018/06/Beyond-Explainability.pdf</a>.

#### Co-Designing Checklists to Understand Organizational Challenges and Opportunities around Fairness in Al

Michael A. Madaio, Luke Stark, Jennifer Wortman Vaughan, and Hanna Wallach, CHI '20: Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (April 2020): 1–14, <a href="https://doi.org/10.1145/3313831.3376445">https://doi.org/10.1145/3313831.3376445</a>.

#### Closing the AI Accountability Gap: Defining an End-to-End Framework for Internal Algorithmic Auditing

Raji, I. D., Smart, A., White, R. N., Mitchell, M., Gebru, T., Hutchinson, B., Smith-Loud, J., Theron, D., & Barnes, P., FAT\* '20: Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency, (January 2020): 33–44, https://doi.org/10.1145/3351095.3372873.

#### Supervisory Guidance on Model Risk Management

US Federal Reserve Board (April 2011), https://www.federalreserve.gov/supervisionreg/srletters/sr1107a1.pdf.

Understanding Artificial Intelligence Ethics and Safety: A Guide for the Responsible Design and Implementation of AI Systems in the Public Sector

David Leslie, The Alan Turing Institute (2019), <a href="https://doi.org/10.5281/zenodo.3240529">https://doi.org/10.5281/zenodo.3240529</a>.

#### **ENDNOTES**

- Gina Kolata, "Alzheimer's Prediction May Be Found in Writing Tests," New York Times (February 1, 2021), https://www.nytimes.com/2021/02/01/health/alzheimersprediction-speech.html.
- <sup>2</sup> Dina Temple-Raston, Elephants under Attack Have an Unlikely Ally: Artificial Intelligence, NPR (October 25, 2019), https://www.npr.org/2019/10/25/760487476/ elephants-under-attack-have-an-unlikely-ally-artificialintelligence.
- <sup>3</sup> Seeing Al: An App for Visually Impaired People That Narrates the World Around You, Microsoft, <a href="https://www.microsoft.com/en-us/garage/wall-of-fame/seeing-ai/">https://www.microsoft.com/en-us/garage/wall-of-fame/seeing-ai/</a>.
- See e.g., Jennifer Sukis, The Origins of Bias and How AI May Be the Answer to Ending Its Reign, Medium (January 13, 2019), https://medium.com/design-ibm/the-originsof-bias-and-how-ai-might-be-our-answer-to-ending-itacc3610d6354.
- See e.g., Nicol Turner Lee, Paul Resnick, and Genie Barton, Algorithmic Bias Detection and Mitigation: Best Practices and Policies to Reduce Consumer Harms, Brookings (May 22, 2019), <a href="https://www.brookings.edu/research/algorithmic-bias-detection-and-mitigation-best-practices-and-policies-to-reduce-consumer-harms/">https://www.brookings.edu/research/algorithmic-bias-detection-and-mitigation-best-practices-and-policies-to-reduce-consumer-harms/</a>.
- <sup>6</sup> Harini Suresh and John V. Guttag, A Framework for Understanding Unintended Consequences of Machine Learning (February 17, 2020), <a href="https://arxiv.org/pdf/1901.10002.pdf">https://arxiv.org/pdf/1901.10002.pdf</a>.
- <sup>7</sup> See Xiaolin Wu and Xi Zhang, Automated Inference on Criminality Using Face Images, Shanghai Jiao Tong University (November 13, 2016), <a href="https://arxiv.org/pdf/1611.04135v1.pdf">https://arxiv.org/pdf/1611.04135v1.pdf</a>.
- Blaise Agüera y Arcas, Margaret Mitchell, and Alexander Todorov, *Physiognomy's New Clothes*, Medium (May 6, 2017), <a href="https://medium.com/@blaisea/physiognomys-new-clothes-f2d4b59fdd6a">https://medium.com/@blaisea/physiognomys-new-clothes-f2d4b59fdd6a</a>.
- Yiad Obermeyer, Brian Powers, Christine Vogeli, and Sendhil Mullainathan, "Dissecting Racial Bias in an Algorithm Used to Manage the Health of Populations," Science (October 25, 2019), https://science.sciencemag. org/content/366/6464/447.
- Nolon Barocas and Andrew D. Selbst, "Big Data's Disparate Impact," California University Law Review 104, no. 3 (September 30, 2016): 671, <a href="http://www.californialawreview.org/wp-content/uploads/2016/06/2Barocas-Selbst.pdf">http://www.californialawreview.org/wp-content/uploads/2016/06/2Barocas-Selbst.pdf</a>.
- Joy Buolamwini and Timnit Gebru, "Gender Shades: Intersectional Accuracy Disparities in Commercial Gender Classification," Proceedings of Machine Learning Research 81 (2018): 77–91, http://proceedings.mlr.press/ v81/buolamwini18a/buolamwini18a.pdf.

- <sup>12</sup> Kate Crawford, *The Hidden Biases in Big Data*, Harvard Business Review (April 1, 2013), <a href="https://hbr.org/2013/04/the-hidden-biases-in-biq-data">https://hbr.org/2013/04/the-hidden-biases-in-biq-data</a>.
- <sup>13</sup> Kate Crawford and Trevor Paglen, Excavating Al: The Politics of Images in Machine Learning Training Sets (September 19, 2019), <a href="https://excavating.ai/">https://excavating.ai/</a>.
- <sup>14</sup> Cade Metz, "'Nerd,' 'Nonsmoker,' 'Wrongdoer': How Might A.I. Label You?" New York Times (September 20, 2019), <a href="https://www.nytimes.com/2019/09/20/arts/design/imagenet-trevor-paglen-ai-facial-recognition.html">https://www.nytimes.com/2019/09/20/arts/design/imagenet-trevor-paglen-ai-facial-recognition.html</a>.
- Jessica Zosa Forde, A. Feder Cooper, Kweku Kwegyir-Aggrey, Chris De Sa, and Michael Littman, Model Selection's Disparate Impact in Real-World Deep Learning Applications, arXiv:2104.00606 (April 1, 2021), https:// arxiv.org/abs/2104.00606.
- <sup>16</sup> Aaron Klein, Credit Denial in the Age of AI, Brookings Institution (April 11, 2019), <a href="https://www.brookings.edu/research/credit-denial-in-the-age-of-ai/">https://www.brookings.edu/research/credit-denial-in-the-age-of-ai/</a>.
- J. Vaughn, A. Baral, M. Vadari "Analyzing the Dangers of Dataset Bias in Diagnostic AI systems: Setting Guidelines for Dataset Collection and Usage," ACM Conference on Health, Inference and Learning, 2020 Workshop, <a href="http://juliev42.github.io/files/CHIL\_paper\_bias.pdf">http://juliev42.github.io/files/CHIL\_paper\_bias.pdf</a>.
- <sup>18</sup> Arvind Narayanan, 21 Fairness Definitions and Their Politics, ACM Conference on Fairness, Accountability and Transparency (March 1, 2018), <a href="https://www.youtube.com/watch?v=jlXluYdnyyk">https://www.youtube.com/watch?v=jlXluYdnyyk</a>.
- <sup>19</sup> Reuben Binns and Valeria Gallo, AI Blog: Trade-Offs, UK Information Commission's Office (July 25, 2019), <a href="https://ico.org.uk/about-the-ico/news-and-events/ai-blog-trade-offs/">https://ico.org.uk/about-the-ico/news-and-events/ai-blog-trade-offs/</a>.
- <sup>20</sup> Inioluwa Deborah Raji et al., Closing the AI Accountability Gap: Defining an End-to-End Framework for Internal Algorithmic Auditing, FAT\* '20: Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency (January 2020): 33–44, https://doi. org/10.1145/3351095.3372873.
- <sup>21</sup> Sara Hooker, Moving Beyond "Algorithmic Bias Is a Data Problem," *Patterns* (April 9, 2021), <a href="https://www.sciencedirect.com/science/article/pii/52666389921000611">https://www.sciencedirect.com/science/article/pii/52666389921000611</a>.
- McKane Andrus, Elena Spitzer, Jeffrey Brown, and Alice Xiang, "What We Can't Measure, We Can't Understand": Challenges to Demographic Data Procurement in the Pursuit of Fairness, arXiv:2011.02282 (January 23, 2021), https://arxiv.org/abs/2011.02282.

The Software Alliance



#### www.bsa.org

BSA Worldwide Headquarters 20 F Street, NW Suite 800 Washington, DC 20001



**☑** @BSAnews

**f** @BSATheSoftwareAlliance

BSA Asia-Pacific 300 Beach Road #30-06 The Concourse Singapore 199555

**\(\sigma\)** +65.6292.2072

BSA Europe, Middle East & Africa 44 Avenue des Arts Brussels 1040 Belgium

**\(\sigma\)** +32.2.274.13.10



# BSA Submission on

#### the Telecommunication Engineering Centre's Framework for Fairness Assessment of Al/ML Systems

#### Mr. Avinash Agarwal

Deputy Director General (Convergence & Broadcasting) Telecommunication Engineering Centre Department of Telecommunications

Email: avinash.70@gov.in; adic1.tec@gov.in

Friday, March 25, 2022

Dear Sir,

# Subject: Framework for Fairness Assessment of Artificial Intelligence (AI)/Machine Learning (ML) Systems

BSA | The Software Alliance (**BSA**) appreciates the opportunity to engage with the Telecommunication Engineering Centre's (**TEC**) consultation on developing a Framework for Fairness Assessment of AI/ML systems (**TEC Framework**).<sup>1</sup>

BSA is the leading advocate for the global software industry. Our members are among the world's most innovative companies, creating software solutions that help businesses of all sizes in every sector of the economy modernize and grow. <sup>2</sup> As leaders in the development of enterprise AI, BSA members have unique insights into the technology's tremendous potential and the policies that can best support the responsible use of AI. BSA members recognize that trust is essential to the public's willingness to embrace these new technologies and that government can help support public confidence through policies that promote responsible innovation.

#### **Summary of Recommendations**

1. We appreciate the TEC's aim to "build public trust in Al/ML systems" through a voluntary Framework for Fairness.<sup>3</sup> Bias has emerged as a top concern for policymakers, developers, deployers, and the public as Al tools are more used more frequently to make consequential

<sup>1</sup>No.: 4-3/2022-C&B/TEC/AI-Fairness, see:

 $\frac{\text{https://www.tec.gov.in/pdf/Whatsnew/Letter\%20TEC\%20Al\%20Fairness\%20Asessment\%20seeking\%20inputs\%202022\_02\_2}{2.pdf}$ 

https://www.tec.gov.in/pdf/Whatsnew/Letter%20TEC%20Al%20Fairness%20Asessment%20seeking%20inputs%202022 02 2.pdf.

Le-Meridien 15th Floor, Room 1529 Windsor Place, Janpath New Delhi 110001 1

<sup>&</sup>lt;sup>2</sup> BSA's members include: Adobe, Alteryx, Altium, Amazon Web Services, Atlassian, Autodesk, Aveva, Bentley Systems, Box, Cisco, CNC/Mastercam, Dassault, DocuSign, Dropbox, IBM, Informatica, Intel, MathWorks, Microsoft, Nikon, Okta, Oracle, PTC, Rockwell, Salesforce, SAP, ServiceNow, Shopify Inc., Siemens Industry Software Inc., Splunk, Trend Micro, Trimble Solutions Corporation, Twilio, Unity Technologies, Inc., Workday, Zendesk, and Zoom Video Communications, Inc.

<sup>&</sup>lt;sup>3</sup> Page 1, see:

decisions. At the same time, we urge the TEC to avoid any one-size-fits-all solution, and instead focus on developing a voluntary framework that outlines a flexible approach for stakeholders to conduct impact assessments on high-risk AI/ML systems.

2. BSA recently released Confronting Bias: A Framework to Build Trust in AI (BSA Framework), a first-of-its-kind framework that outlines a methodology for performing impact assessments to identify and mitigate risks of bias that may emerge throughout an AI system's lifecycle. BSA sees significant overlap in the approach outlined by the TEC and in the BSA Framework. We encourage the TEC to consider the BSA Framework as a resource as it develops its own Framework.

Many of the specific questions raised in the TEC Consultation are addressed in detail in the BSA Framework, which we have appended to this submission. In addition, we highlight below a series of recommendations for TEC's consideration as it develops the Framework. To that end, this submission is divided into: (i) general comments on the Framework; and (ii) specific inputs from the BSA Framework.

#### 1. General comments

#### a. Adopt a risk-based approach

The AI ecosystem is broad, encompassing a diverse range of technologies, use cases and stakeholders. Because the risks of AI are inherently use-case specific, the Framework should focus on specific applications of the technology that pose high risks to the public. It should likewise be flexible enough to account for the unique considerations that may be implicated by specific uses cases and the range of actors that may be involved in an AI system's supply chain.

a. Avoid prescriptive technical requirements and instead focus on process-based accountability mechanisms

The risks that AI poses and the appropriate mechanisms for mitigating those risks are largely context-specific. For instance, the appropriate mechanisms and standards for training data, record keeping, transparency, accuracy, and human oversight will vary depending on the nature of the AI system and the setting in which it is being deployed. The TEC should therefore avoid adopting a prescriptive, one-size-fits-all approach. Rather than imposing technical requirements, the Framework should instead incorporate a process-oriented approach that encourages organizations that develop and/or deploy high risk systems to perform impact assessments. Impact assessments are an accountability mechanism widely used in a range of other fields—from environmental protection to data protection—to promote trust by demonstrating that a system has been designed in a manner that accounts for its potential risks to the public. Accordingly, the TEC Framework should guide stakeholders in performing impact assessments on high-risk AI systems. As highlighted above, the BSA Framework outlines a methodology for performing impact assessments that the TEC should consider as a guiding reference point.

#### b. Coordinate with MeitY and other government bodies

Since AI has cross-sectoral implications, several ministries and bodies within the Indian Government have or are working on developing rules to ensure its effective usage. For instance, the Ministry of Electronics and Information Technology (**MeitY**), is reportedly building the National Programme on

<sup>&</sup>lt;sup>4</sup> Confronting Bias: A Framework to Build Trust in AI, see: https://ai.bsa.org/wp-content/uploads/2021/06/2021bsaaibias.pdf

Artificial Intelligence, while the NITI Aayog, has released broad ethical principles for design, development and deployment of AI in India.<sup>5</sup> Notably, the NITI Aayog, in its *Approach Document for India: Principles for Responsible AI*, has released a self-assessment guide for enterprises to ensure compliances with its ethical principles.<sup>6</sup> To avoid overlaps and to ensure consistency between different frameworks, BSA recommends that the TEC should closely work with the MeitY and the NITI Aayog at all stages, from ideating and framing the Framework to its implementation. Interfacing with other government bodies would ensure that there is uniform implementation of policies and requirements.

#### c. Prioritize international coordination

India is well positioned to become a global leader in AI.<sup>7</sup> But to ensure that Indian innovation can thrive in foreign markets, it is critical to establish an Indian approach to AI governance that is interoperable with global partners. To minimize the risk of fragmentation, the TEC can play a helpful role in shaping the development of India's efforts in a manner that will promote global interoperability. It should pursue a harmonized approach which can support organizations' ability to operate under both domestic and international regimes. The TEC framework should leverage internationally-recognized standards for AI currently under development in ISO and IEEE. We would encourage the TEC to consider opportunities for aligning the Framework with similar efforts that are underway in other markets. For instance, in the United States, the National Institute of Standards and Technology (NIST) is in the process of developing an AI Risk Management Framework that will address a range of AI risks, including the potential for unintended bias.<sup>8</sup>

#### b. Specific Comments

We anticipate that many of the details and attributes of the BSA Framework will be relevant to the TEC, as it builds out its own Framework. We highlight the following considerations below that will be crucial to its success:

#### a. Incorporate a lifecycle approach

Static evaluations of AI models cannot account for all potential issues that may arise when AI systems are deployed in the field. Bias can arise in a system at multiple points of its lifecycle and through many different channels, such as in the data used to train a model, in the formulation of the problem the system seeks to solve, or if a model is used in a scenario other than its intended purpose. Experts agree that AI risk management therefore requires a lifecycle approach that includes ongoing monitoring by end-users to ensure that the system is operating as intended. The BSA Framework identifies steps that can be taken in the design, development, and deployment stages of the AI/ML lifecycle to mitigate the risk of bias.

#### b. Develop a comprehensive taxonomy on bias

<sup>&</sup>lt;sup>5</sup> See: https://ourgovdotin.files.wordpress.com/2020/11/niti-working-document-enforcement-mechanisms-for-responsible-aiforall.pdf; https://www.niti.gov.in/sites/default/files/2021-02/Responsible-Al-22022021.pdf; https://www.meity.gov.in/writereaddata/files/75-75-India-Al-Journey.pdf

<sup>&</sup>lt;sup>6</sup> Page 44, Approach Document for India: Principles for Responsible AI, see: <a href="https://www.niti.gov.in/sites/default/files/2021-02/Responsible-AI-22022021.pdf">https://www.niti.gov.in/sites/default/files/2021-02/Responsible-AI-22022021.pdf</a>

<sup>&</sup>lt;sup>7</sup> See: https://timesofindia.indiatimes.com/business/india-business/india-well-positioned-to-become-global-leader-in-artificial-intelligence-amitabh-kant/articleshow/81918192.cms

<sup>8</sup> See: https://www.nist.gov/itl/ai-risk-management-framework

There are several types of biases that emerge during the design, development, and deployment phases of the Al/ML systems lifecycle. Many of these sources of bias are discussed in the BSA Framework, which has been annexed to this submission. The inclusion of a bias taxonomy within the TEC's Framework will be useful for developers and deployers seeking to better understand the many ways bias can emerge in an Al/ML system.

#### c. Recognize that bias identification and mitigation may involve multiple stakeholders

Reflecting the inherently dynamic nature of AI systems, the TEC should account for the array of stakeholders that may play a role in various aspects of an AI/ML system's design, development, and deployment. Because there is no single model of AI development or deployment, it is impossible in the abstract to assign roles or delegate specific responsibilities for many risk management functions. In the BSA Framework, we highlight that there are at least three sets of stakeholders that may bear varying degrees of responsibility for certain aspects of AI/ML risk management throughout a system's lifecycle:

- <u>Developers:</u> Al/ML Developers are organizations responsible for the design and development of Al systems.
- <u>Deployers:</u> Al/ML Deployers are the organizations that adopt and use Al systems. (If an entity develops its own system, it is both the Al Developer and the Al Deployer.)
- <u>End-Users:</u> Al/ML End-Users are the individuals—oftentimes an employee of an Al Deployer—who are responsible for overseeing the use of an Al/ML system.

The appropriate allocation of risk management responsibilities between such stakeholders will also vary depending on the nature of the AI system being developed and which party determines the purposes and means by which the underlying model is trained. For instance:

- <u>Universal Model:</u> The term "universal model" is used to describe circumstances in which an Al developer provides multiple customers (i.e., Al deployers/users) with access to a single pretrained model.
  - In circumstances involving a Universal Model, the AI developer will bear responsibility for most aspects of risk management as the model is being designed and developed.
     Following deployment, risk management functions may be shared between the Developer and the Deployer of the system.
- <u>Customizable Model:</u> The term "customizable model" is used to describe circumstances in which an AI Developer provides a pre-trained model for AI Deployers who can customize and/or retrain the model using their own data.
  - While the AI Developer will be responsible for risk management of design decisions, risk management associated with the development and deployment stages will be a shared responsibility between the AI Developer and the AI Deployer.
- Bespoke Model: The term "bespoke model" is used to describe circumstances in which the Al Developer trains a bespoke Al model on behalf of an Al Deployer using the Al Deployer's data.
  - In instances involving a Bespoke Model, the Al Deployer will bear the bulk of risk management obligations.<sup>9</sup>
- d. Emphasize the role of governance in Al/ML risk management

4

<sup>&</sup>lt;sup>9</sup> The OECD for the Classification of Al Systems adopts a similar approach for assigning risk management responsibilities. See <u>Framework for Classifying Al Systems</u> at page 48.

The TEC should consider the critical role that governance practices play in Al/ML risk management. To that end, it should emphasize that effective Al/ML risk management should be underpinned by a governance framework that establishes the policies, processes, and personnel that will be used to identify, mitigate, and document risks throughout a system's lifecycle. In addition, a governance framework should promote understanding across organizational units—including product development, compliance, marketing, sales, and senior management—about each entity's role and responsibilities for promoting effective risk management during the design, development, and deployment of Al/ML systems.

#### e. Note that "fairness" metrics for assessing bias can be diverse

As the TEC consultation document notes, there are a variety of metrics that can be used to mathematically evaluate "fairness" and it is generally impossible to satisfy them all simultaneously. Deciding what fairness metrics are appropriate for a particular use case should be guided by context-specific considerations. Thus, rather than endorsing specific metrics, the TEC should instead provide guidance about the factors stakeholders should consider in evaluating whether particular metrics are relevant and/or appropriate for their use case.

We thank you for the opportunity to provide our feedback and hope our submissions are useful as you develop the Framework. Please do not hesitate to contact us if you have any questions about our submission.

Sincerely,

BSA | The Software Alliance

[Attachment: Confronting Bias: BSA's Framework to Build trust in Al]